UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/567,344	02/06/2006	Yoav Paltieli	1312PAL-US	5319
David Klein	7590 04/13/201	EXAMINER		
Dekel Patent Beit I Iarofirm		ROY, BAISAKHI		
18 Menoha Venahala Street Room 27			ART UNIT	PAPER NUMBER
Rehovot, ISRAEL			3737	
			MAIL DATE	DELIVERY MODE
			04/13/2010	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
Office Action Comments	10/567,344	PALTIELI ET AL.			
Office Action Summary	Examiner	Art Unit			
	BAISAKHI ROY	3737			
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).					
Status					
1)⊠ Responsive to communication(s) filed on 23 £	December 2009				
· _ · · ·	· · · · · · · · · · · · · · · · · · ·				
3) Since this application is in condition for allowa		secution as to the merits is			
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims					
<ul> <li>4)  Claim(s) 1,2 and 28-32 is/are pending in the application. <ul> <li>4a) Of the above claim(s) is/are withdrawn from consideration.</li> <li>5)  Claim(s) is/are allowed.</li> <li>6)  Claim(s) 1, 2, and 28-32 is/are rejected.</li> <li>7)  Claim(s) is/are objected to.</li> <li>8)  Claim(s) are subject to restriction and/or election requirement.</li> </ul> </li> </ul>					
Application Papers					
9)☐ The specification is objected to by the Examiner.					
10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.					
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).					
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119					
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>					
Attachment(s)  1) Notice of References Cited (PTO-892)  4) Interview Summary (PTO-413)					
2) Notice of References Cited (PTO-692)  Notice of Draftsperson's Patent Drawing Review (PTO-948)  Information Disclosure Statement(s) (PTO/SB/08)  Paper No(s)/Mail Date	Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ate			

Application/Control Number: 10/567,344 Page 2

Art Unit: 3737

#### **DETAILED ACTION**

### Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 12/23/09 has been entered.

## Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 3. Claims 1, 2, and 28 are rejected under 35 U.S.C. 102(e) as being anticipated by Calderon et al. (7447542). Calderon et al. disclose a method for early detection of a pregnancy complication (col. 1 lines 54-56) by touching a position sensor or position sensing system 22 to a point on a fetal presenting part of a fetus in a mother and capturing a position of the position sensor or position sensors 24 (col. 3 lines 23-26) and detecting a pregnancy complication sign based upon a predefine criterion for the pregnancy complication or indicate that the fetus being in distress. The pregnancy

Application/Control Number: 10/567,344 Page 3

Art Unit: 3737

complication may be the onset of premature or preterm labor (col. 4 lines 1-7) with an increase in contraction with a predetermined frequency (col. 1 lines 17-22, col. 4 lines 8-12) and uterine muscle activity (col. 1 lines 31-39).

# Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claim 29-32 are rejected under 35 U.S.C. 103(a) as being unpatentable over Calderon et al. in view of Dullien (5370135). Calderon et al. teach a method for detecting pregnancy related complications and performing therapy to improve fetal survival (col. 2 lines 22-41). The therapy comprises tocolytic therapy (col. 9 lines 43-50) and corticosteroids therapy (col. 11 lines 2-6). Dullien further teaches monitoring the effects of the therapy (col. 15 lines 30-col. 16 line 15). It would have therefore been obvious to one of ordinary skill in the art to use the teaching by Dullien to modify the teaching by Calderon et al. such that the pregnancy complication can be effectively treated to improve fetal survival.

#### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to BAISAKHI ROY whose telephone number is (571)272-7139. The examiner can normally be reached on M-F (7:30 a.m. - 4p.m.).

Application/Control Number: 10/567,344 Page 4

Art Unit: 3737

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Brian L. Casler can be reached on 571-272-4956. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/BRIAN CASLER/ Supervisory Patent Examiner, Art Unit 3737

BR /B. R./ Examiner, Art Unit 3737